

Golewala Drainage Division Ferozepur

Monthly return for the Month of 08/2019 regarding Right to Information Act-2005 received from State Public Information Officers.

ਚੰਡੀਗੜ੍ਹ
ਕਾਮਪਲੀਟ ਕੀ ਗਈ ਮਿਤੀ 531 ਮਿਤੀ 25/9/19

Sr. No.	Designation of the State Public Information Officer	Whether information received or not	No. of Application received during the month	No. of Application rejected and the reasons thereof.	No. of Application in which information given to applicant.	No. of Application Pending.	Remarks if any
1	2	3	4	5	6	7	8
1.	Executive Engineer	-Yes-	-02-	-Nil-	-Nil-	-02-	-----

No. 3752-55/15-E

Dated 09/9 /2019

Submitted to the following :-

- Chief Engineer/Vigilance, Quality Control & Monitoring-Cum-Nodal Officer (R.T.I. Act) Irrigation Works, Punjab, Chandigarh.
- Appellate Authority-Cum-Superintending Engineer, Drainage Construction Circle, Canal Colony, Ferozepur. (Tel. No. 01632-245188).
for information and necessary action, please.
- Incharge/Computer Cell, Irrigation Works, Punjab, Chandigarh. He is intimated that the soft copy of the above information alongwith photocopy of application & reply has been sent to your E-mail ID: irrcomp2@gmail.com & hard copy of the same are also sent herewith for further necessary action, please.
- Executive Engineer, Drainage Construction Division, Ferozepur at Fazilka.

24/9/2019



Sandhu
Public Information Officer-Cum-Executive Engineer,
Golewala Drainage Division,
89-Jhoke Road, Ferozepur Cantt.
(Tel. No. 01632-245366)

ਗੋਲੇਵਾਲਾ ਜਲ ਨਿਕਾਸ ਮੰਡਲ, ਫਿਰੋਜ਼ਪੁਰ

ਰਾਈਟ ਟੂ ਇੰਨਫਰਮੇਸ਼ਨ ਐਕਟ-2005 ਦੇ ਤਹਿਤ ਪ੍ਰਾਪਤ ਹੋਏ ਕੇਸਾਂ ਦੀ ਪ੍ਰਗਤੀ ਰਿਪੋਰਟ ਸਬੰਧੀ ਮਹੀਨਾ 09/2019


(ੳ)

ਲੜੀ ਨੰ:	ਇਸ ਮਹੀਨੇ ਸੂਚਨਾਂ ਲੈਣ ਹਿੱਤ ਪ੍ਰਾਪਤ ਹੋਈਆਂ ਅਰਜੀਆਂ ਦੀ ਗਿਣਤੀ	ਐਕਟ ਅਧੀਨ ਨਿਰਧਾਰਤ ਸਮਾਂ ਸੀਮਾਂ ਅੰਦਰ ਨਿਪਟਾਏ ਗਏ ਕੇਸਾਂ ਦੀ ਗਿਣਤੀ	ਲੰਬਿਤ ਅਰਜੀਆਂ ਦੀ ਗਿਣਤੀ	ਅਰਜੀਆਂ ਲੰਬਿਤ ਹੋਣ ਦੇ ਕਾਰਨ ਅਤੇ ਸੂਚਨਾਂ ਦੇਣ ਲਈ ਕੀਤੇ ਉਪਰਾਲੇ ਦਾ ਵੇਰਵਾ
1.	- 02 -	- ਨਿੱਲ -	- 02 -	-----

(ਅ)

ਸੂਚਨਾਂ ਕਮਿਸ਼ਨ ਪੰਜਾਬ ਕੋਲ ਚੱਲ ਰਹੇ ਕੇਸਾਂ ਦੀ ਗਿਣਤੀ

- ਨਿੱਲ -


 ਪਬਲਿਕ ਸੂਚਨਾਂ ਅਫਸਰ-ਕਮ-
 ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ,
 ਗੋਲੇਵਾਲਾ ਜਲ ਨਿਕਾਸ ਮੰਡਲ,
 19 ਝੋਕ ਰੋਡ, ਫਿਰੋਜ਼ਪੁਰ।